




Sphinxes chandelier


www.finescrollsaw.com
© Copyright 2007 Pedro López Rodríguez. All rights reserved



500 mm



Cut 6, 1/4 inches



ENGLISH This pattern is intended for advanced scrollers. It has been designed to be used with wood of any given width. The recommended widths are 1/4, 1/8 and 1/32 inches or 6, 3 and 0,8 mm. If you intend to use 1/4, 1/8 and 1/32 inches wood, make your waste copies without scaling. If you intend to use 6, 3 and 0,8 mm. wood, make your waste copies scaling at 94% of the size. For any other wood width make the necessary calculations and scale accordingly.

The pieces are drawn in black colour. Dashed blue lines indicate the position of some pieces on the drawn one.

The main large pieces have been split so that they can be made with an 18 inches scroll saw.

We recommend using contrasting wood colours to improve the final aspect.

Mounting suggestions: Start making the 12 arms gluing their components together in a very flat surface. Include the overlays, these will strengthen the panels. Glue all the round floors to one of the panels. Hang this from the top. The remaining panels can be glued quite easily to the lamp whilst this is hanging. When all the arms have been glued, glue the bent sides in position. These will be easily glued to their corresponding support pieces. Complete the lamp adding the escatcheons, lamp bushings and pendants. If you intend to wire the lamp, think in advance how you are going to do it and modify the pieces as necessary.


ESPAÑOL Estos planos están pensados para caladores avanzados. Han sido diseñados para utilizar madera de cualquier grosor. Los grosores recomendados son 1/4, 1/8 y 1/32 pulgadas o 6, 3 y 0,8 mm. Para utilizar madera de 1/4, 1/8 y 1/32 pulgadas, haga las copias desechables sin escalar. Para utilizar madera de 6, 3 y 0,8 mm. haga las copias desechables al 94% del tamaño. Para cualquier otros grosores haga los cálculos y escale apropiadamente.

Las piezas están dibujadas en color negro. Las líneas azules de puntos indican la posición de algunas piezas sobre la dibujada.


Las piezas principales han sido troceadas para que puedan ser cortadas con una sierra de calar de 18 pulgadas.

Recomendamos utilizar maderas de dos colores contrastados para mejorar el aspecto final.

Sugerencias de montaje: Comience montando los 12 brazos encolando las partes que los forman sobre una superficie plana. Incluya las piezas sobrepuestas que fortalecerán los brazos. Encole todas las piezas circulares centrales a uno de los brazos, y cuelgue el resultado por la parte de arriba. Los restantes brazos pueden encolarse a la lámpara fácilmente mientras esta cuelga. Cuando haya encolado todos los lados, encole las piezas curvadas en su sitio. Estas piezas deben ser encoladas con facilidad a sus correspondientes piezas soporte. Complete la lámpara añadiendo los blasones, casquillos y colgantes. Si va a cablear la lámpara, piense por adelantado cómo va a hacerlo y modifique las piezas como sea necesario.



Cut 12, 1/8 inches



Cut 12, 1/8 inches

